

RESOLUTION NO. 2017 - 564

A RESOLUTION AUTHORIZING THE PURCHASE OF A 2018 NEW INTERNATIONAL MODEL 7500 SBA 6x4 (SF637) ROLL-ON/ROLL-OFF HOOK LIFT TRUCK FROM HUNTER TRUCK SALES & SERVICE, SWEDESBORO, NEW JERSEY, IN THE AMOUNT NOT TO EXCEED \$169,923.00, PURSUANT TO A NATIONAL COOPERATIVE CONTRACT AGREEMENT WITH NATIONAL JOINT POWERS ALLIANCE (NJPA) CONTRACT 081716-NVS.

WHEREAS, the Department of Public Works is in need of a 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off hook Lift Truck; and;

WHEREAS, the City of Vineland is a member of a National Cooperative Purchasing Agreement known as the National Joint Powers Alliance (NJPA) under member number 19409 is a national cooperative contract organization; and,

WHEREAS, NJPA, National Cooperative Purchasing Program has acted as lead agency and awarded Contract 081716-NVS. Specific information regarding the contract may be found on the NJPA website at www.njpacoop.org; and,

WHEREAS, N.J.S.A. 52:34-6.2 permits the City of Vineland to purchase a 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off hook Lift Truck using the offered National Cooperative Contract without public bidding, subject to the submittal and acceptance of certain documentation by Hunter Truck Sales & Service;

WHEREAS, the City of Vineland intends under NJPA, under the Category: Class 6, 7, and 8 Chassis with related Equipment, Accessories, and Services, Contract 081716-NVS; to purchase from Hunter Truck Sales & Service, Swedesboro, New Jersey, a 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off hook Lift Truck, in an amount not to exceed \$169,923.00, as listed in the Quotation, dated October 18, 2017, made available through the NJPA.

WHEREAS the Director of Municipal Utilities and the Qualified Purchasing Agent, with the concurrence of the Business Administrator, recommend the use of the National Cooperative Pricing through NJPA for this procurement;

WHEREAS, notice of the within purchase has been published on November 25, 2017, with a 10-day comment period as required by Local Finance Notice 2012-10 and;

WHEREAS, the City of Vineland Purchasing Agent has determined that the use of the offered National Cooperative Contract will result in cost savings after all factors, including charges for service, material and delivery have been considered and has verified that such equipment is not available through State Contract awarded by the Division of Purchase and Property in the New Jersey Department of the Treasury pursuant to N.J.S.A. 40A:11-12; and

WHEREAS, the availability of funds for said purchase to be awarded herein have been certified by the Chief Financial Officer; and

WHEREAS, the City of Vineland has certified that this meets the statute and regulations governing the award of said contracts;

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF VINELAND, that the Purchasing Agent is authorized to prepare a purchase order to procure the a 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off hook Lift Truck for a price not to exceed \$232,291.00

BE IT FURTHER RESOLVED that the purchase order shall contain a requirement that “the vendor shall maintain all documentation related to products, transactions or services under this contract for a period of five years from the date of final payment. Such records shall be made available to the New Jersey Office of the State Comptroller upon request”.

Adopted:

President of Council

ATTEST:

City Clerk

AWARD CONTRACT RESOLUTION REQUEST

From: Miguel A. Mercado, Purchasing Agent

To: Business Administration

Date of Request: December 6, 2017

City Council Meeting Date: December 26, 2017

Title: (1) 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off Hook Lift Truck

Competitive Process: National Joint Powers Alliance (NJPA) – Member #19409

RFP Opening Date: August 18, 2016

Contract Period: November 15, 2016 to November 15, 2020

Resolution Request:

This is a request to award the purchase of one (1) 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off Hook Lift Truck at a cost of \$169,923.00 through the National Cooperative Contract –NJPA. Purchasing this equipment through the “national cooperative contract” is allowed under PL 2011, c.139.

Category: Class 6, 7, and 8 Chassis with Related Equipment, Accessories, and Services

Contract: 081716-NVS

The vendor is: Hunter Truck Sales & Service
2320 High Hill Road
Swedesboro, NJ 08085

Attached is quotation dated October 18, 2017 from the vendor.

By using the national contract, the city will save time and costs associated with bid specification preparation, receiving bids and awarding a contract.

If you have any questions or need additional information, please contact me.

NOTE: Ad: Publication of “Notice of Intent to Award Contract under A National Cooperative Purchasing Agreement” was advertised November 25, 2017. Comment period ended December 4, 2017 with no comments.



**REQUEST FOR RESOLUTION
FOR COOPERATIVE CONTRACT AWARDS
UNDER 40A:11-12, N.J.A.C. 5:34-7.29 & LFN 2012-10
(REQUIRED FOR PURCHASES OVER \$17,500.00)**

11/16/17
(DATE)

1. Goods or Services (detailed description): 2018 New International Model 7500 SBA 6x4 (SF637) Roll-On/Roll-Off Hook Lift Truck

2. Amount to be Awarded: \$ 169,923.00

- Encumber Total Award
- Encumber by Supplemental Release

3. Budgeted: By Ordinance No. _____
Or Grant: Title & Year Recycling Tonnage Grant 2013 025-0-00-50-5001-2-6230414

4. **Account Number to be Charged: Recycling Tonnage Grant 2014 025-0-00-50-5001-2-6230415 \$66,337.65

5. Contract Period (if applicable): November 15, 2016 - Dec. 31, 2017 \$103,585.35

6. Date to be Awarded: 12 / 26 / 17

7. Recommended Vendor and Address: Navistar 2701 Navistar Drive Hisle IL 60532
Hunter Truck Sales Service 2320 High H. Rd Swedesboro, NJ 08085

8. Justification for Vendor Recommendation: (attach add'l information for Council review)
NJPA National Joint Powers Alliance
Offers 31-41% Discount

Type of Contract: State National Regional County

Vendor's Cooperative Contract # 081716-NVS

9. Evaluation Performed by: Mark Guglielmi

10. Approved by: [Signature]

11. Attachments:

- Awarding Proposal
- Other: _____

• Send copies to:
Purchasing Department
Business Administration

**If more than one account #, provide break down

NJPA AWARDED CONTRACT

NJPA VENDOR CONTRACT SUMMARY – Navistar

DATE November 15, 2016	RFP # 081716
AWARDED CONTRACT NUMBER 081716-NVS	NJPA RFP TITLE & CATEGORY CLASS 6, 7, AND 8 CHASSIS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES
CONTRACT PERIOD November 15, 2016 – November 15, 2020	PRICING MODEL Percent Discount Off List: 31%-47%
DESCRIPTION Class 6-8 Chassis	
VENDOR NAME AND ADDRESS Navistar 2701 Navistar Drive Lisle, IL 60532 www.navistar.com	VENDOR CONTACT Martin White 331-332-2370 martin.white@navistar.com

NJPA CONTRACTS CONSIST OF THE FOLLOWING DOCUMENTS "Contract" as used herein shall mean this RFP, pricing, and fully executed forms P, C, D and E ("Acceptance and Award") with final terms and conditions. <u>Request for Proposal (RFP)</u> <u>Contract Acceptance & Award</u> Pricing and Forms P and C - Available upon request from the NJPA Contract Manager	RELATED CONTRACT DOCUMENTATION <u>Affidavit of Advertisement</u> <u>Proposal Opening Witness Page</u> <u>Proposal Evaluation</u>
--	--

NJPA INFORMATION

NJPA CONTACT Andy Campbell	TITLE NJPA Contract Administrator
PHONE 218-895-4145	EMAIL Andy.campbell@njpacoop.org
ADDRESS 202 12th Street NE, P.O. Box 219, Staples, MN 56479	WEBSITE www.njpacoop.org

National Joint Powers Alliance®

Contract Purchasing Department



Prepared For:
 City of Vineland
 Purchasing Agent
 640 East Wood Street
 Vineland, NJ 08362-
 (856)794 - 4000
 Reference ID: NJPA 081716-NVS

Presented By:
 HUNTER'S TRUCK S&S
 Tom Grogan II
 2320 HIGH HILL RD.
 LOGAN TOWNSHIP NJ 080854538
 856-241-8890

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 7500 SBA 6X4 (SF637)

APPLICATION:	Roll-On/Roll-off
MISSION:	Requested GVWR: 66000. Calc. GVWR: 64000 Calc. Start / Grade Ability: 18.19% / 2.09% @ 55 MPH Calc. Geared Speed: 70.1 MPH
DIMENSION:	Wheelbase: 252.00, CA: 184.90, Axle to Frame: 75.00
ENGINE, DIESEL:	{Cummins L9 370} EPA 2017, 370HP @ 2000 RPM, 1250 lb-ft Torque @ 1400 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor RT-46-164P} Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends Gear Ratio: 5.63
CAB:	Conventional
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HSC1 (CONTINENTAL), 484 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range H HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-460-54} Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity, with Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100GN Location 1: 9219, Winter White (Std) Chassis schematic N/A

Description

Base Chassis, Model 7500 SBA 6X4 with 252.00 Wheelbase, 184.90 CA, and 75.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL

FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL

BUMPER, FRONT Steel, Swept Back

Includes

: BUMPER, FRONT Powder Coated Gray (Argent) Color

WHEELBASE RANGE 221" (560cm) Through and Including 262" (665cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

SPRINGS, FRONT AUXILIARY Rubber

SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 18,000-lb Capacity; with Shock Absorbers

Includes

: SPRING PINS Rubber Bushings, Maintenance-Free

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

Includes

: BRAKE LINES Color and Size Coded Nylon

: DRAIN VALVE Twist-Type

: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster

: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel

: PARKING BRAKE VALVE For Truck

: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4

: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)

: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)

: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6

Notes

: Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.

BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank

Includes

: DRAIN VALVE Mounted in Wet Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control

AIR DRYER {Bendix AD-IP} with Heater

Description**Includes**

: AIR DRYER LOCATION Inside Left Rail, Back of Cab

BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 Spring Brake

Includes

: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.

: BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater

BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

AIR COMPRESSOR {Cummins} 18.7 CFM Capacity

STEERING COLUMN Tilting

STEERING WHEEL 2-Spoke, 18" Dia., Black

STEERING GEAR (2) {Sheppard M100/M80} Dual Power

AFTERTREATMENT COVER Aluminum

EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

TAIL PIPE (1) Tumbuck Type, Non-Bright, for Single Exhaust

EXHAUST HEIGHT 13' 3"

MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

: HEADLIGHTS (2) Halogen, Round, with Chrome Plated Bezels

: JUMP START STUD Located on Positive Terminal of Outermost Battery

: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

: STARTER SWITCH Electric, Key Operated

: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector

: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature

: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever

: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted

: WIRING, CHASSIS Color Coded and Continuously Numbered

CIGAR LIGHTER Includes Ash Cup

POWER SOURCE Cigar Type Receptacle without Plug and Cord

BATTERY TERMINALS Sealed

ALTERNATOR {Delco Remy 36SI} Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor

BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM {International} Maintenance-Free, (4) 12-Volt 2600CCA Total

Description

2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

STOP, TURN, TAIL & B/U LIGHTS {Weldon} LED Multi-Function Lamp, Mounted Inside Rails, Includes License Plate Light

HORN, ELECTRIC Disc Style

BATTERY BOX Steel with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Right Side Back of Cab

JUMP START STUD Remote Mounted

Includes

: JUMP START STUD Mounted to Battery Box

WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time

CLEARANCE/MARKER LIGHTS (5) (Truck Lite) Amber LED Lights, Flush Mounted on Cab or Sunshade

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

HEADLIGHTS ON WWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, with Thermal Over-Crank Protection

COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side

Notes

: Feature included with CAB INTERIOR TRIM, Premium

HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position

ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender

HOOD, HATCH (01) for Servicing

INSULATION, UNDER HOOD for Sound Abatement

GRILLE Stationary, Chrome

INSULATION, SPLASH PANELS for Sound Abatement

BUG SCREEN Mounted Behind Grille

FRONT END Tilting, Fiberglass, with Three Piece Construction; for WorkStar

CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "GN"

Description

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted

ENGINE, DIESEL {Cummins L9 370} EPA 2017, 370HP @ 2000 RPM, 1250 lb-ft Torque @ 1400 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

Includes

: FAN Nylon

RADIATOR Cross Flow, Series System; 1228 Sqn Aluminum Radiator Core and 1167 Sqn Charge Air Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines

FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2017

TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway

OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type

TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

TRANSMISSION TCM LOCATION Located Inside Cab

SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming

PTO LOCATION Dual, Left and Right Side of Transmission

AXLE, REAR, TANDEM {Meritor RT-46-164P} Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends . Gear Ratio: 5.63

Includes

: POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light

: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance

Description

SUSPENSION, REAR, TANDEM {Hendrickson HMX-460-54} Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity, with Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers

Includes

: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions

FUEL TANK STRAPS Bright Finish Stainless Steel

DEF TANK 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab

LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 15" Back of Cab

FUEL/WATER SEPARATOR {Racor 400 Series,} 12 Volt Pre-Heater, with Primer Pump, and WIF Sensor

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab

CAB Conventional

Includes

: ARM REST (2) Molded Plastic; One Each Door

: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

: GLASS, ALL WINDOWS Tinted

: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side

: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side

: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

: STEP (4) Two Steps Per Door

HEATER HOSES Silicone

GRAB HANDLE, CAB INTERIOR (2) Safety Yellow

GAUGE CLUSTER English with English Electronic Speedometer

Includes

: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout

: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

GAUGE, OIL TEMP, REAR AXLE

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel Mounted in Instrument Panel

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

GAUGE, DEF FLUID LEVEL

SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage

Description

MIRROR, CONVEX, LOOK DOWN {Lang Mekra} Right Side; 6" x 10 1/4"

MIRRORS (2) {Lang Mekra} Styled; Rectangular, Power Both Sides Flat Glass Only, Thermostatically Controlled Heated Heads, Clearance Lights LED, Black Heads, Brackets and Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing

SEAT BELT All Orange; 1 to 3

WINDSHIELD Heated, Single Piece

ARM REST, RIGHT, DRIVER SEAT

AIR CONDITIONER {Blend-Air} with Integral Heater & Defroster

Includes

: HEATER HOSES Premium

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

: REFRIGERANT Hydrofluorocarbon HFC-134A

CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator

Notes

: Feature included with CAB INTERIOR TRIM, Premium

HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type

INSTRUMENT PANEL Center Section, Flat Panel

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

HVAC FRESH AIR FILTER

STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door

CAB INTERIOR TRIM Deluxe

Includes

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering

: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket

: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors

: FLOOR COVERING Rubber, Black

: HEADLINER Soft Padded Cloth

: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section

: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door

: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console

CAB REAR SUSPENSION Air Bag Type

SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights

WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc

WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs

WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel

WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels

BDY INTG, REMOTE POWER MODULE Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack with Latched Switches)

BDY INTG, PTO ACCOMMODATION for Muncie Lectra Shift PTO Engagement and Disengagement, with Momentary Switch Mounted on Dash; Includes Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input & 1 output)

Description

(8) TIRE, REAR 11R22.5 Load Range H HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive

(2) TIRE, FRONT 315/80R22.5 Load Range L HSC1 (CONTINENTAL), 484 rev/mile, 68 MPH, All-Position

Cab schematic 100GN

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

Services Section:

WARRANTY Standard for Paystar 5000, and Workstar 7500/7600, Effective with Vehicles Built January 2, 2015 or Later, CTS-2003Z

SERVICES, TOWING (Navistar) Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident

PREP CHASSIS

SUPPLY EQUIPMENT PER SPEC

Supply 5 year Cummins engine warranty protection plan 1 for 5 years and/or 100,000 miles

Supply Cummins aftertreatment warranty 5 years and/or 100,000

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$152,450.00	
Service Items	\$1,600.00	
Total Factory List Price Including Options:		\$154,050.00
Total Goods Purchased:		\$65,637.00
Freight Charge	\$2,200.00	
Total Freight:		\$2,200.00
Total Factory List Price Including Freight:		\$221,887.00
Less Customer Allowance:		(\$51,964.00)
Total Vehicle Price:		\$169,923.00
Total Sale Price:		\$169,923.00
Total Per Vehicle Sales Price:		\$169,923.00
Net Sales Price:		\$169,923.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

Since 1884

H.A. DeHart & Son

Transportation Equipment Specialists

To: Tom Grogan

From: Bob Hall

Company: Hunter Truck Sales

Date: October 13, 2017

Email:

Total Pages: 1

tgrogan@huntertrucksales.com

Senders Phone: 856-845-2800

Senders Fax: 856-845-2461

Re: Quote / Vineland

Senders Email: rjhalljr@hotmail.com

Quote/Vineland

For City of Vineland Road Dept.

One New Swaploader Model 518, 54000Lbs 17'-22'
Bodies
Hot Shift P.T.O. and Pump
Rear Stabilizer with Additional Control Valve
Steel Fenders
48"x18"x18" Heavy Duty Underbody Toolbox
D.O.T. 6 Strobes, 2 Front, 2 Rear, (1) Each Side
Anti-Sail Mud Flaps
Rear Bumper with LED Lights
Shurco OX Telescopic Gantry Hydraulic Tarp System with Tarp 1 Telescopic Cylinder at
Gantry, 2 Arm Cylinders, 2 Slide Cylinders
One Day Training
Modification to Match Existing Stellar Sub Frames


Cost \$ 59,987.00

Swaploader Model 520, 50000Lbs

19'-24' Bodies

Add \$ 925.00

Thank you.


Bob Hall
Vice President

BH/rl

FORM E
CONTRACT ACCEPTANCE AND AWARD



(Top portion of this form will be completed by NJPA if the vendor is awarded a contract. The vendor should complete the vendor authorized signatures as part of the RFP response.)


NJPA Contract #: 081716-NVS

Proposer's full legal name: Navlstar, Inc.

Based on NJPA's evaluation of your proposal, you have been awarded a contract. As an awarded vendor, you agree to provide the products and services contained in your proposal and to meet all of the terms and conditions set forth in this RFP, in any amendments to this RFP, and in any exceptions that are accepted by NJPA.

The effective date of the Contract will be November 15, 2016 and will expire on November 15, 2020 (no later than the later of four years from the expiration date of the currently awarded contract or four years from the date that the NJPA Chief Procurement Officer awards the Contract). This Contract may be extended for a fifth year at NJPA's discretion.

NJPA Authorized Signatures:



NJPA DIRECTOR OF COOPERATIVE CONTRACTS
AND PROCUREMENT/CPO SIGNATURE

Jeremy Schwartz
(NAME PRINTED OR TYPED)



NJPA EXECUTIVE DIRECTOR/CEO SIGNATURE

Chad Coquette
(NAME PRINTED OR TYPED)

Awarded on November 15, 2016

NJPA Contract # 081716-NVS

Vendor Authorized Signatures:

The Vendor hereby accepts this Contract award, including all accepted exceptions and amendments.

Vendor Name NAVSTAR, INC.

Authorized Signatory's Title DIRECTOR VOCATIONAL SALES



VENDOR AUTHORIZED SIGNATURE

MARTIN WHITE

(NAME PRINTED OR TYPED)

Executed on 11/18, 2016

NJPA Contract # 081716-NVS