

RESOLUTION NO. 2023- 290

A RESOLUTION AUTHORIZING THE ISSUANCE OF AN AMENDATORY SUPPLEMENTAL CHANGE ORDER NO. 1 TO PURCHASE ORDER NO. 22-0107 ISSUED TO NATIONAL AUTO FLEET GROUP, WATSONVILLE, CA, FOR THE AMOUNT OF \$20,315.79.

WHEREAS, the City Council of the City of Vineland, on March 8, 2022, adopted Resolution No. 2022-90, entitled “A RESOLUTION AUTHORIZING THE PURCHASE OF MOTOR VEHICLES FROM NATIONAL AUTO FLEET GROUP, WATSONVILLE, CA, IN AN AGGREGATE AMOUNT NOT TO EXCEED \$355,675.74, PURSUANT TO A NATIONAL COOPERATIVE PRICING AGREEMENT WITH SOURCEWELL”; and

WHEREAS, N.J.A.C. 5:30-11.1, et seq., sets forth the requirements for the processing of change orders; and

WHEREAS, the Director of Municipal Utilities has requested that an amendment be made to contract awarded to National Auto Fleet Group, Watsonville, CA through a National Cooperative, for the Purchase of Motor Vehicles as authorized by Resolution No. 2022-90: said amendment is necessary to provide for an increase of funds for Line Item #1 of Purchase Order #22-01928. Said Line Item provided for the purchase of three (3) New Chevrolet HD 4x4 Crew Cab with 9ft Stake Body Vehicles for the Electric Utility that did not make the GM Manufacturer’s cutoff date in 2022, therefore the order was canceled but now can be reordered at an increased price; and

WHEREAS, the City of Vineland desires to comply with said requirements of N.J.A.C. 5:30-11.1, et seq., and to that end herewith files with the governing body a report stating the facts involved and indicating that the proposed change order may be allowed under these regulations; and

WHEREAS, the Chief Financial Officer has certified the availability of funds for the amendatory supplemental change order for which authorization is requested in the amount of \$20,315.79; now, therefore,

BE IT RESOLVED by the Council of the City of Vineland that said amendatory supplemental change order #1 to Purchase Order No. 22-01928 issued to National Auto Fleet Group, Watsonville, CA, in the amount of \$20,315.79, be and the same is hereby ratified and approved.

Adopted:

President of Council

ATTEST:

City Clerk

June 20, 2023

REPORT

TO: THE MAYOR AND COUNCIL


Amendatory Supplemental Change Order No. 1
Purchase Order No. 22-01928
Purchase of Motor Vehicles
National Auto Fleet Group, Watsonville, CA

We are requesting that an amendatory supplemental change order be issued to Purchase Order #22-01928, issued to National Auto Fleet Group, Watsonville, CA, for the Purchase of Motor Vehicles. This contract was authorized by Resolution No. 2022-90, adopted by City Council on March 8, 2022.

The change order requested in the amount of \$20,315.79, provides for an increase of funds for Line Item #1 of Purchase Order #22-01928. Said Line Item provided for the purchase of three (3) New Chevrolet HD 4x4 Crew Cab with 9ft Stake Body Vehicles for the Electric Utility that did not make the GM Manufacturer's cutoff date in 2022, therefore the order was canceled but now can be reordered at an increased price.

This change order represents an increase of approximately 5.711885% over the original contract amount of \$355,675.74.

The amendatory supplemental change order for which authorization is herein requested may be authorized in accordance with N.J.A.C. 5:30-11.1 et seq.

Respectfully submitted,

Robert E. Dickenson, Jr.
Business Administrator

RD/wr
Encl.



REQUEST FOR CHANGE ORDER



FOR:

3 - New Chevrolet Silverados HD 4x4 Crew Cab w/9ft. Stake Body for Electric

PROJECT NAME

TO: BUSINESS ADMINISTRATION

DEPARTMENT: Vehicle Maintenance FROM: Jeff Celebre

This is a request for change order # 1 to Contract # RES2022-90 for:
Project Name 3 - New Chevrolet Silverados HD 4x4 Crew Cab w/9ft. Stake body for Electric

Name/Address of

Contractor: 72 Hour LLC DBA National Auto Fleet Group 490 Auto Center Dr. Watsonville, CA 95076

The change order is necessary because: (use additional pages if necessary to explain your reason and you must attach *documentation to support the necessity of this change order.
*(Documentation from contractor, engineer, etc.)

Line Item#1 on Original Order (PO#22-01928) did not make the GM Manufacturer's cut off date
therefore GM canceled the order and we now can reorder but the price has been increased.

Original Contract Amount:	\$ <u>\$355,675.74</u>
Amount of this change order:	\$ <u>20,315.79 (Line Item#1)</u>
Previous Change Orders:	\$ <u>0</u>
Total Revised Amount:	\$ <u>375,991.53</u>

APPROVED BY: Jeff Celebre
Print/type

[Signature]
Signature

John Lillie

[Signature]

NOTE:


CHANGE ORDERS CANNOT EXCEED 20% OF THE ORIGINAL CONTRACT AMOUNT

Please provide the account number that the change order will be charged to:

Account # 3-05-55-512-9003-5200 E392

CC: Purchasing Division

[Handwritten mark]





National Auto Fleet Group

A Division of Chevrolet of Watsonville
 480 Auto Center Drive, Watsonville, CA 95076
 (855) 289-6572 • (831) 480-8497 Fax
 Fleet@NationalAutoFleetGroup.com

5/17/2023

Quote ID: 24078

Order Cut Off Date: TBA

Mr Jeffrey Celebre
 City of Vineland
 57 W. Park Ave.
 Vineland, New Jersey, 08360

Dear Jeffrey Celebre,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.
Three (3) New/Unused (2023 Chevrolet Silverado MD (CK56043) 4WD Crew Cab Work Truck, 9' Platform Stake Body + Handling \$2,000.00) and delivered to your specified location, each for

	One Unit (MSRP)	One Unit	Total % Savings	Extended Unit's (3)	Total Savings
Contract Price	\$73,930.00	\$68,294.05	7.623 %	\$204,882.14	\$16,907.86
9' Platform Stake Body		\$22,765.00		\$68,295.00	
+ Handling \$2,000.00					
4 additional key(s)		\$1,200.00		\$3,600.00	
Tax (0.0000 %)		\$0.00		\$0.00	
Tire fee		\$0.00		\$0.00	
Total		\$92,259.05		\$276,777.14	

- per the attached specifications.

This vehicle(s) is available under the **Sourcewell Contract 091521-NAF** . Please reference this Contract number on all purchase orders to National Auto Fleet Group. Payment terms are Net 20 days after receipt of vehicle.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

Jesse Cooper
 Account Manager
 Email: Fleet@NationalAutoFleetGroup.com
 Office: (855) 289-6572
 Fax: (831) 480-8497

Quoting Department
 Account Manager
 Fleet@NationalAutoFleetGroup.com
 (855) 289-6572



GMC

A&K EQUIPMENT COMPANY INC.
 221 WESCOTT DRIVE
 RAHWAY, NJ 07065
 732-388-5333 Fax: 732-388-1937
 THANK YOU FOR THE BUSINESS

12/27/2021
 Quote #: 23041
 Page: 1

Quoted To:
 NATIONAL AUTO FLEET
 490 AUTO CENTER DRIVE
 Watsonville, CA 95076
 USA

Phone: 855-289-6572

Est PO:

Terms: NET 30

Salesperson: LG

Reference: ELECTRIC DEPT

Ship Via: TBD

Valid Through: 1/6/2022

Stock Code	Description	Quantity	List	Price	Extended
180600-9	96" X 9'6" PLATFORM / STAKE BODY H/D , 42" BULKHEAD LED LIGHT KIT	1.00		7,485.00	7,485.00
D-RING-RE-SW-IN	D-RING SWIVEL RECESSED IN FLOOR	6.00		75.00	450.00
2HITREC-IN	2" HITCH RECEIVER W/ ICC BUMPER /REAR APRON WITH STEPS AND LIGHTS	1.00		1,980.00	1,980.00
424STRK-BD-12	42" HIGH RAILSTAKE RACK KIT W/ BARN DOOR STYLE REAR DOOR	1.00		2,590.00	2,590.00
MISC	MISC. PARTS DOT STRIPING	1.00		125.00	125.00
101007P BUY	"CONNECTOR,TRAILER,7 WAY,VEHICLE END,"	1.00		75.00	75.00
510 ECC	"Alarm: Back-up, 97dB, 12VDC"	1.00		125.00	125.00
STROBE KIT	STROBE KIT	1.00		1,650.00	1,650.00
>ED3702AC ECC	"Directional LED: Dual-color, surface mount, 12 flash patterns, 12-24VDC, amber/clear"	8.00			
>3702-BKBZ ECC	"Mounting Bezel: 3701/3702 Series Directional LEDs, black"	8.00			
TSA/SY3993615	ARROWBOARD - 15 LAMP 30X60 - LED HALF HOOD - PAR 36 - 12VDC - FULL HOODS - CONTROLLER WITH BRACKETS - 25 FT POWER CABLE	1.00		5,685.00	5,685.00
TSA/SY3800110	LIFT KIT - 180 DEG POWER - CAB MOUNT - FITS 24X48 & 30X60 BOARDS	1.00		0.00	0.00
5012228 BUY	SPLASH GUARD KIT	1.00	273.00	225.00	225.00
PDI	PDI VEHICLE	1.00		125.00	125.00
PD ADR	PICK UP AND DELIVERY	1.00		250.00	250.00

202 CHEVROLET 4500 CREW CAB 60" CA
 INSTALL SH 9'6" PLATFORM BODY WITH SMOOTH STEEL FLOOR
 48" BULKHEAD W/ SCREEN WINDOW
 6 RECESSED D-RINGS IN FLOOR
 42" LIFT OUT SIDE RACKS WITH REAR BARN DOOR STYLE RACKS
 2" RECEIVER HITCH WITH WAY RV TRAILER PLUG
 REAR APRON STEP BUMPER (18" STEP BUMER, RECESSED OVAL STT, BU AND STROBE LIGHTS, BUILT IN STEPS)
 DOT STRIPING ON SIDE AND REAR RUB RAILS
 INSTALL BACK UP ALARM
 STROBE KIT (2 IN GRILLE, 4 ON REAR , 1 ON EACH SIDE)
 INSTALL AMBER LED TRAFFICE ADVISOR MOUNTED ON POWER LIFT ARM
 INSTALL FRONT STONE GUARDS
 PDI VEHICLE
 DELIVER VEHICLE TO:

CITY OF VINELAND

QTY 2

A&K EQUIPMENT COMPANY INC.
221 WESCOTT DRIVE
RAHWAY, NJ 07065
732-388-5333 Fax: 732-388-1937
THANK YOU FOR THE BUSINESS

12/27/2021
Quote #: 23041
Page: 2

Ordered To:
NATIONAL AUTO FLEET
490 AUTO CENTER DRIVE
Watsonville, CA 95076
USA

Phone: 855-289-6572

Cust PO:

Reference: ELECTRIC DEPT

Terms: NET 30

Ship Via: TBD

Salesperson: LG

Valid Through: 1/6/2022

Stock Code	Description	Quantity	List	Price	Extended
------------	-------------	----------	------	-------	----------

SubTotal: 20,765.00

Tax: 0.00
Shipping: 0.00
Total: 20,765.00

NO RETURNS ON ELECTRICAL ITEMS
PRIOR AUTHORIZATION NEEDED FOR RETURNS & RETURNS SUBJECT TO A 15% RESTOCKING FEE
PRICES SUBJECT TO CHANGE WITHOUT NOTICE
N.J. STATE CONTRACT # A88273

Vehicle Configuration Options

ENGINE	
Code	Description
L5D	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible, (STD)
TRANSMISSION	
Code	Description
MIU	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS, ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Rugged Duty Series,
AXLE	
Code	Description
092	Rear axle, 4.30 ratio, Max road speed: 75 MPH
PREFERRED EQUIPMENT GROUP	
Code	Description
1WT	Work Truck Preferred Equipment Group, includes standard equipment
SPARE TIRE	
Code	Description
ZBK	Tire, Spare 225/70R19.5G highway blackwall Goodyear, Includes (V33) Rim Wrench and handle only tool kit.)
PAINT	
Code	Description
GAZ	Summit White
PAINT SCHEME	
Code	Description
ZY1	Paint, solid
SEAT TYPE	
Code	Description
AE7	Seats, front 40/20/40 split-bench, 3-passenger, (STD)
SEAT TRIM	
Code	Description
H2Q	Dark Ash seats with Jet Black interior accents, Vinyl seat trim
RADIO	

Code	Description
IO3	Audio system, 4.2" diagonal color display, (STD)
ADDITIONAL EQUIPMENT	
Code	Description
VYU	Snow Plow Prep Package, includes (UNL) auxiliary harness for headlamps and turn signals, (KW5) 220-amp alternator, forward lamp wiring harness and (TRW) provision for cab roof mounted lamp/beacon
G80	Differential, heavy-duty locking rear
NZZ	Skid Plate, steel, frame-mounted, protects the transfer case from the ground
7Y8	Batteries, heavy-duty dual 1300 cold-cranking amps, includes battery box mounted to left side under cab
BTN	Battery, top post threaded, battery jump start stud, (located on battery box)
KW5	Alternator, 220 amps
V76	Recovery hooks, front, frame-mounted, black
V33	Tool kit, Rim Wrench and handle only
PWY	Wheel, 19.5" x 6.75", spare, steel, Black, 8-holes, temporary mounted on frame, hub piloted
E0N	Assist Steps, aluminum
UNL	Auxiliary harness, 3' for headlamps and turn signals
TRW	Provision for cab roof-mounted lamp/beacon, provides an overhead console mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp
5DX	Electrical Provisions, rear of cab, upfitter, body builder wiring, includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
5H1	Key system, 2 spare keys
AQQ	Remote Keyless Entry
KI4	Power outlet, 110-volt AC
UZF	Backup alarm, (Includes (SFW) SEO Calibration for backup alarm.
SFW	Back-up alarm calibration, This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting
FRONT TIRES	
Code	Description
XDK	Tires, front 225/70R19.5G highway blackwall Goodyear, (STD)
WHEELBASE	
Code	Description
FNV	Wheelbase, 175" (444.5 cm), 60" CA, (STD)
REAR SUSPENSION	

Code	Description
GR4	Rear suspension, 13,500 lb. (6,123 kg) multi-leaf, vari-rate
MODEL OPTION	
Code	Description
R7N	5500 HD Series
REAR AXLE	
Code	Description
J27	Rear axle, 15,500 lb. (7,031 kg), Dana Spicer S16-130, single reduction
GVWR	
Code	Description
GZG	GVWR, 19,500 lb. (8845 kg)
REAR TIRES	
Code	Description
YMF	Tires, rear 225/70R19.5G traction blackwall Goodyear, Max Axle Load: 15,000 lb.
POWER TAKE OFF	
Code	Description
PTO	Power Take Off, engine control provisions, Access is available on left-hand and right-hand side
WHEEL TYPE	
Code	Description
PWQ	Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted, (STD)
REQUIRED OPTION	
Code	Description
R6G	26,000 lb. GCWR (11,793 kg)
FRONT AXLE	
Code	Description
FTB	Front axle, 7,500 lb.. Dana Spicer 60-256, single-reduction, front driving

2023 Fleet/Non-Retail Chevrolet Silverado MD 4WD Crew Cab Work Truck

WINDOW STICKER

2023 Chevrolet Silverado MD 4WD Crew Cab Work Truck

CODE	MODEL	MSRP
CK56043	2023 Chevrolet Silverado MD 4WD Crew Cab Work Truck	\$64,405.00
OPTIONS		
L5D	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible, (STD)	\$0.00
MIU	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS, ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Rugged Duty Series,	\$290.00
092	Rear axle, 4.30 ratio, Max road speed: 75 MPH	\$0.00
1WT	Work Truck Preferred Equipment Group, includes standard equipment	\$0.00
ZBK	Tire, Spare 225/70R19.5G highway blackwall Goodyear. Includes (V33) Rim Wrench and handle only tool kit.)	\$425.00
GAZ	Summit White	\$0.00
ZY1	Paint, solid	\$0.00
AE7	Seats, front 40/20/40 split-bench, 3-passenger, (STD)	\$0.00
H2Q	Dark Ash seats with Jet Black interior accents, Vinyl seat trim	\$0.00
IO3	Audio system, 4.2" diagonal color display, (STD)	\$0.00
VYU	Snow Plow Prep Package, includes (UNL) auxiliary harness for headlamps and turn signals, (KW5) 220-amp alternator, forward lamp wiring harness and (TRW) provision for cab roof mounted lamp/beacon	\$340.00
G80	Differential, heavy-duty locking rear	\$1,350.00
NZZ	Skid Plate, steel, frame-mounted, protects the transfer case from the ground	\$275.00
7Y8	Batteries, heavy-duty dual 1300 cold-cranking amps, includes battery box mounted to left side under cab	\$85.00
BTN	Battery, top post threaded, battery jump start stud, (located on battery box)	\$50.00
KW5	Alternator, 220 amps	INC
V76	Recovery hooks, front, frame-mounted, black	\$25.00
V33	Tool kit, Rim Wrench and handle only	INC
PWY	Wheel, 19.5" x 6.75", spare, steel, Black, 8-holes, temporary mounted on frame, hub piloted	\$0.00
E0N	Assist Steps, aluminum	\$200.00
UNL	Auxiliary harness, 3' for headlamps and turn signals	INC
TRW	Provision for cab roof-mounted lamp/beacon, provides an overhead console mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp	INC
5DX	Electrical Provisions, rear of cab, upfitter, body builder wiring, includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$115.00
5H1	Key system, 2 spare keys	\$45.00

AQQ	Remote Keyless Entry	\$175.00
KI4	Power outlet, 110-volt AC	\$175.00
UZF	Backup alarm, (Includes (SFW) SEO Calibration for backup alarm.	\$150.00
SFW	Back-up alarm calibration, This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting	INC
XDK	Tires, front 225/70R19.5G highway blackwall Goodyear, (STD)	\$0.00
FNV	Wheelbase, 175" (444.5 cm), 60" CA, (STD)	\$0.00
GR4	Rear suspension, 13,500 lb. (6,123 kg) multi-leaf, vari-rate	\$25.00
R7N	5500 HD Series	INC
J27	Rear axle, 15,500 lb. (7,031 kg), Dana Spicer S16-130, single reduction	\$775.00
GZG	GVWR, 19,500 lb. (8845 kg)	\$2,255.00
YMF	Tires, rear 225/70R19.5G traction blackwall Goodyear, Max Axle Load: 15,000 lb.	\$595.00
PTO	Power Take Off, engine control provisions, Access is available on left-hand and right-hand side	\$280.00
PWQ	Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted, (STD)	\$0.00
R6G	26,000 lb. GCWR (11,793 kg)	\$0.00
FTB	Front axle, 7,500 lb., Dana Spicer 60-256, single-reduction, front driving	\$0.00

Please note selected options override standard equipment

SUBTOTAL	\$72,035.00
Advert/ Adjustments	\$0.00
Manufacturer Destination Charge	\$1,895.00
TOTAL PRICE	\$73,930.00
Est City: N/A MPG	
Est Highway: N/A MPG	
Est Highway Cruising Range: N/A mi	

Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Notes

Standard Equipment

MECHANICAL

GVWR, 16,500 lb. (7484 kg) (Silverado 4500 HD 4WD models require one of the following combinations: (1) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (FN1) 10k rear axle or (GL4) 11k rear axle and (GR3) 11k rear suspension. (2) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and (GR4) 13.5k rear suspension or (FU7) 15.5k rear suspension. (3) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (J27) 15.5k rear axle and one of the following rear suspensions: (91B) 13.5k LiquidSpring prep single volume rear suspension, (91C) 13.5k LiquidSpring prep stacked volume rear suspension, (91D) 15.5k LiquidSpring prep single volume rear suspension or (91E) 15.5k LiquidSpring prep stacked volume rear suspension.) (STD)
Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lb.-ft. torque @ 1600 rpm (STD)
Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Highway Series, 19.5K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K (Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).) (STD)
Rear axle, 4.30 ratio Max road speed: 75 MPH
Wheelbase, 175" (444.5 cm), 60" CA (Requires (F0C) 49" axle to end of frame. Not available with (G40) 12,000 lb., (GP1) 13,500 lb. or (GP8) 15,500 lb. rear air suspension, or (NPK) Exhaust System.) (STD)
Front axle, 7,500 lb., Dana Spicer 60-256, single-reduction, front driving
Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction
Rear suspension, 11,000 lb. (4,990 kg) multi-leaf, vari-rate (STD)

EXTERIOR

Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted (STD)
Tires, front 225/70R19.5G highway blackwall Goodyear Max Axle Load: 7,940 lb. (Requires (YAL) Tires, rear 225/70R19.5G highway blackwall Goodyear, Max Axle Load: 15,000 lb. or (YMF) Tires, rear 225/70R19.5G traction blackwall Goodyear, Max Axle Load: 15,000 lb.) (STD)
Tires, rear 225/70R19.5G highway blackwall Goodyear Max Axle Load: 15,000 lb. (STD)
Spare tire delete (STD)

ENTERTAINMENT

Audio system, 4.2" diagonal color display AM/FM stereo with USB port and auxiliary jack (Requires (AE7) front 40/20/40 split-bench seat. Not available with (UE1) OnStar or (U2K) SiriusXM Radio.) (STD)
--

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD)

EMISSIONS

Emissions, 50 state certification

Emissions, USA 50 State certified

FRONT SUSPENSION

Front suspension, 7,500 lb. (3,402 kg) multi-leaf, includes shock absorbers

ADDITIONAL EQUIPMENT

Neutral-at-Stop Automatic transmission shifts to neutral when the service brake is depressed while the vehicle is at a complete stop, and remains in neutral until the service brake is released

Transmission shift control calibration, fuel sense Performance

Four wheel drive

Batteries, heavy-duty dual 1100 cold-cranking amps includes battery box mounted to left side under cab

Alternator, 150 amps

Trailer provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness mounted at rear of frame.

Trailer brake controller, integrated

Incomplete vehicle

Axle to End of Frame, 49" (Requires wheelbase (EM1) 199" or (FNV) 175". Not available with (G40), (GP1) or (GP8) rear air suspension.)

Axle, Open rear axle, non-locking rear

Axle lubricant, front, synthetic oil EmGard FE-75W-90

Axle lubricant, rear, synthetic oil EmGard FE -75W-90

Steering, power (Bosch S2 8014 Plus)

Brakes, hydraulic, heavy duty Bosch/Meritor/Wabco system with 4-channel (ABS) (Includes (J69) driveline park brake.)

Fuel tank, rear only, 40 gallon mounted between frame side rails and behind rear axle

Fuel, diesel B20

Capped Fuel Fill

Exhaust system, rear exit

Exhaust brake

Wheel, spare delete

Bumper, front, Black

Assist steps

Front fender extension, painted body color
Grille, base, molded in color, Black
Grille guard screen, insect protection (mounted behind grille)
Headlamps, halogen projector-beam
Lamps, cargo area, cab mounted with switch on center switch bank
Lamps, Smoked Amber roof marker
Lamps, rear, stop/turn/backup (1-piece assembly) with license plate light
Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
Glass, solar absorbing, tinted
Antenna, fixed mast
Door handles, Black
SiriusXM, delete
6-speaker audio system
Interior trim, Jet Black/Dark Ash (Required and only available with (H2Q/H2R) Dark Ash seats with Jet Black interior accents.)
Seat trim, Vinyl
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
Seat Belt, Black
Floor covering, Graphite-colored rubberized-vinyl
Steering wheel, urethane
Steering column, manual Tilt-Wheel
Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
Speedometer, miles/kilometers
Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
Upfitter switch kit provides up to 4-30 amp circuits to facilitate installation of aftermarket electrical accessories located on the instrument panel
Windows, power with driver express up and down and express down on all other windows
Door locks, power
Cruise control, steering wheel-mounted
Air conditioning, single-zone
Mirror, inside rearview manual day/night
Visors, driver and front passenger, vinyl
Assist handle, front passenger and driver on A-pillars
Brake, parking, driveline park brake system
StabiliTrak, Electronic Stability Control System with Traction Control includes Electronic Trailer Sway Control and Hill Start Assist
Traction control
Daytime Running Lamps, with automatic exterior lamp control

Airbags, Single-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Airbag deactivation switch, frontal passenger-side (Included and only available with (AY0) airbags.)

OnStar, delete

Rear Vision Camera, display integrated into Radio (Shipped loose in cab for upfitter installation.)

Horn, single-note