

RESOLUTION NO. 2023 - 300

A RESOLUTION AUTHORIZING THE PURCHASE OF A NEW 2024 INTERNATIONAL CV515 CHASSIS WITH UPFIT FROM HUNTER TRUCK SALES, SWEDESBORO, NJ, IN AN AMOUNT NOT TO EXCEED \$125,161.00, PURSUANT TO A NATIONAL COOPERATIVE PRICING AGREEMENT WITH SOURCEWELL.

WHEREAS, the City of Vineland Water Utility is in need a New 2024 International CV515 Chassis with Upfit (installed at HA DeHart); and;

WHEREAS, the City of Vineland is a member of a National Cooperative Pricing Agreement known as Sourcewell; and

WHEREAS, Sourcewell, the National Cooperative Purchasing Program has acted as lead agency and awarded Contract #060920-NVS; and

WHEREAS, N.J.S.A. 52:34-6.2 permits the City of Vineland to purchase a New 2024 International CV515 Chassis with Upfit using the offered National Cooperative Contract without public bidding, subject to the submittal and acceptance of certain documentation by Hunter Truck Sales; and

WHEREAS, the City of Vineland intends under Sourcewell Contract #060920-NVS, to purchase from Hunter Truck Sales, Swedesboro, NJ, a New 2024 International CV515 Chassis with Upfit, in an amount not to exceed \$125,161.00, as listed in the Quotation, dated June 12, 2023, made available through the Sourcewell.

WHEREAS the Director of Municipal Utilities and the Qualified Purchasing Agent, with the concurrence of the Business Administrator, recommend the use of the National Cooperative Pricing through Sourcewell for this procurement;

WHEREAS, the City of Vineland Purchasing Agent has determined that the use of the offered National Cooperative Contract will result in cost savings after all factors, including charges for service, material and delivery have been considered and has verified that such equipment is not available through State Contract awarded by the Division of Purchase and Property in the New Jersey Department of the Treasury pursuant to N.J.S.A. 40A:11-12; and

WHEREAS, the availability of funds for said purchase to be awarded herein have been certified by the Chief Financial Officer; and

WHEREAS, the City of Vineland has certified that this meets the statute and regulations governing the award of said contracts;

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF VINELAND, that the Purchasing Agent is authorized to prepare a purchase order to procure from Hunter Truck Sales, Swedesboro, NJ, a New 2024 International CV515 Chassis with Upfit (installed at HA DeHart), in an amount not to exceed \$125,161.00.

BE IT FURTHER RESOLVED that the purchase order shall contain a requirement that “the vendor shall maintain all documentation related to products, transactions or services under this contract for a period of five years from the date of final payment. Such records shall be made available to the New Jersey Office of the State Comptroller upon request”.


Adopted:

President of Council

ATTEST:

City Clerk

**REQUEST FOR RESOLUTION
FOR COOPERATIVE CONTRACT AWARDS
UNDER 40A:11-12, N.J.A.C. 5:34-7.29 & LFN 2012-10
(REQUIRED FOR PURCHASES OVER \$17,500.00)**



6/12/23
(DATE)

1. Goods or Services (detailed description): (1) New 2024 International CV515 Chassis w Up Fit installed at HA DeHart
for Water Dept. Dist.

2. Amount to be Awarded: \$125,161.00

- Encumber Total Award
- Encumber by Supplemental Release

3. Budgeted: By Ordinance No. _____
Or Grant: Title & Year _____

4. **Account Number to be Charged: 3-07-55-512-8005-52000 Tracking ID W392-3

5. Contract Period (if applicable): _____

6. Date to be Awarded: 6/26/23

7. Recommended Vendor and Address: Hunter Truck Sales
2320 High Hill Rd, Swedesboro, NJ, 08085

8. Justification for Vendor Recommendation:(attach add'l information for Council review)

Type of Contract: State National Regional County

Vendor's Cooperative Contract # Sourcewell Contract # 060920-NVS /

9. Evaluation Performed by: Jeff Celebre

10. Approved by: *John Lelli* 6-12-23
Date

11. Attachments:
 Awarding Proposal
 Other: _____

- Send Original to: Purchasing Department
- Send copies to: Business Administration

**If more than one account #, provide break down



International Trucks is pleased to provide you with this proposal compliant with all terms of the Sourcewell Vehicles and Chassis Contract #060920-NVS awarded to Navistar, Inc for new International Truck. If you have any questions regarding enrollment in Sourcewell or detailed contract terms and conditions, please see your International Truck sales representative.

PROPOSAL PREPARED FOR:		PROPOSAL PREPARED BY:	
Sourcewell Member:	CITY OF VINELAND	HUNTER TRUCK SALES AND SERVICE	
Contact:	JEFF CELEBRE	TOM GROGAN	
Address:	640 EAST WOOD STREET	2320 HIGH HILL ROAD	
City/State/Zip:	VINELAND NJ 08362	SWEDESBORO NJ 08085	
Phone:	856-794-4000	267-253-3870	
Email:	jcelebre@vinelandcity.org	tgrogan@huntertrucksales.com	

Proposal Number	16619
Date	JUNE 12 2023
Quantity of this Specification	1
Single Sourcewell Transaction Total Volume	2

Chassis		
New 2024 International CV515 Chassis		\$ 67,098.00
Base Chassis List	\$ 51,683.00	
Options List	\$ 15,415.00	
Sourcewell Contract Discount	\$ 6,000.00	\$ (6,000.00)
Volume Incentive		\$ -
Freight		\$ 1,950.00
Raw Material Increase		\$ 3,500.00
Chassis Handling Fee (Limited to \$1000)		\$ 1,000.00
Net Sourcewell Chassis Price		\$ 67,548.00
Sourcewell Partner Body		
		\$ -
		\$ -
	4.00%	\$ -
Non-Sourcewell Dealer Supplied Body		
HA DEHART		\$ 46,400.00
		\$ -
Handling Fee	5.00%	\$ 2,320.00
Additional Post Build Work		
		\$ -
		\$ -
		\$ -
Handling Fee	5.00%	\$ -
Service Contracts		
		\$ -
		\$ -
		\$ -
Additional Freight		
		\$ -
		\$ -
Additional Floorplan		
FLOOR PLAN TO INSTALL EQUIPMENT		\$ 1,700.00
		\$ -
Additional Fees & Taxes		
2024 STEEL, MATERIAL AND EMISSION SURCHARGES		\$ 6,543.00
DEALER PREP DOT FIREEXT AND TRIANGLE KIT		\$ 650.00
		\$ -
Total Sourcewell Customer Price FOB CITY OF VINELAND		\$ 125,161.00

Additional Sourcewell Qualified Content	
Customer Parts Credit - Fleet Charge only	\$200
Silver Package Award	\$1,200

Terms:	<p>Stock unit in dealer's inventory, dealer will accept a final purchase order using the current Sourcewell pricing quoted above.</p> <p>Dealer placing a new orders for the Sourcewell Member, the purchase order cannot be firm up until the unit is slotted to build with a firm build date or lineset.</p> <p>Once a firm build date has been established, dealer will provide the Sourcewell Member approved pricing and a final purchase order can be accepted with firm pricing.</p> <p>Dealer cannot guarantee bodies and/or equipment pricing added to the chassis for a turnkey sale until chassis is lineset.</p>
--------	--

Prepared For:
City of Vineland
Jeff Celebre
640 East Wood Street
Vineland, NJ 08362-
(856)794 - 4000
Reference ID: N/A

Presented By:
HUNTER TRUCK
Tom Grogan
2320 HIGH HILL RD.
LOGAN TOWNSHIP NJ 080854538
856-241-8890

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2024 CV515 SFA (CV515)

AXLE CONFIG:	4X4
APPLICATION:	Landscape Dump
MISSION:	Requested GVWR: 23500. Calc. GVWR: 23000. Calc. GCWR: 26000 Calc. Start / Grade Ability: 34.82% / 2.73% @ 55 MPH Calc. Geared Speed: 103.2 MPH
DIMENSION:	Wheelbase: 165.00, CA: 83.80, Axle to Frame: 63.00
ENGINE, DIESEL:	{International 6.6} EPA 2024, 350HP @ 2700 RPM, 750 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2700 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 26,000 GCW Max, On/Off Highway
AXLE, FRONT DRIVING:	{Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Dana Spicer S140} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 225/70R19.5 Load Range H HDR+ (CONTINENTAL), 643 rev/mile, 87 MPH, Drive
TIRE, REAR:	(4) 225/70R19.5 Load Range H HDR+ (CONTINENTAL), 643 rev/mile, 87 MPH, Drive
SUSPENSION, REAR, SINGLE:	15,500-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100CX Location 1: 9219, Winter White (Std) Chassis schematic N/A

Description

Base Chassis, Model CV515 SFA with 165.00 Wheelbase, 83.80 CA, and 63.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

AXLE CONFIGURATION {Navistar} 4x4

Notes

: Pricing may change if axle configuration is changed.

FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield), Straight Top Flange with Contoured Bottom, Height Transitions from 7.375" (187.325mm) to 9.125" (231.775mm) to 7.625" (193.675mm); Width: 3.079" (78.21mm); Thickness: 0.3125" (7.94mm); 383.3" (9735.8mm) Max OAL

LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper BUMPER, FRONT Contoured, Steel, Painted Black

BUMPER EXTENSION, FRONT 4.0"

WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)

AF RANGE 50" (128cm) Through and Including 75" (190cm)

AXLE, FRONT DRIVING {Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting

AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 7,500-lb Capacity, with Shock Absorbers

BRAKE SYSTEM, HYDRAULIC {Bosch} Split System, with Four Channel ABS, Traction Control, Electronic Stability Control, Hydromax Brake Booster with High Speed Master Cylinder and Trailer Sway Control

DUST SHIELDS, FRONT BRAKE for Hydraulic Brakes

DUST SHIELDS, REAR BRAKE for Hydraulic Brakes

BRAKE, PARKING {Bosch} DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Foot Operated in Cab; Differential Mounted

BRAKES, FRONT {Meritor Quadraulic} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 8,000-lb Capacity

BRAKES, REAR {Meritor Quadraulic} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 15,500-lb Capacity per Axle

STEERING COLUMN Tilting

STEERING WHEEL 4-Spoke; 15" Dia., Black

STEERING GEAR {Bosch S2 8014 Plus} Power

PROPSHAFT GUARD

DRIVELINE SYSTEM {Dana Spicer} SPL100 Main Driveline, Direct Mount Transfer Case to Transmission, SPL70 Driveline to Front Axle, for 4x4

EXHAUST SYSTEM Horizontal Dual Aftertreatment System, Frame Mounted Under Right Rail, for Single Horizontal Tail Pipe

ENGINE EXHAUST BRAKE for International 6.6 Engine

MANUAL REGEN Capability

ELECTRICAL SYSTEM 12-Volt for CV Model

Includes

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

: PARKING LIGHT PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

: TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted

: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Lever

Description

ALTERNATOR {Denso SC6} Brush Type, 12 Volt, 220 Amp Capacity

BATTERY SYSTEM {VARTA} Maintenance-Free, (2) 12-Volt 1100CCA Total, Top Threaded Stud

RADIO AM/FM/USB Input/Auxiliary Input/SD Card Slot, with 4.2" Color Touch Panel Display

SPEAKERS (4)

STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light

AUXILIARY HARNESS "Y" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications

HORN, ELECTRIC Disc Style

BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab

HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights

SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses

CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab

STARTING MOTOR 12 Volt

SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light

LOGOS EXTERIOR Model Badges

GRILLE Molded in Dark Gray

BUG SCREEN Mounted Behind Grille

FRONT END Tilting, Fiberglass, with Three Piece Construction

FENDER EXTENSIONS Painted

PAINT SCHEMATIC, PT-1 Single Color, Design 100

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

PROMOTIONAL PACKAGE Government Silver Package

KEYS - ALL ALIKE, ADDITIONAL 2 Keys

SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light

GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs)

ENGINE, DIESEL {International 6.6} EPA 2024, 350HP @ 2700 RPM, 750 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)

FAN DRIVE Viscous Type, Screw On, Rear Tether, Electronically Controlled

AIR CLEANER Single Element, with Water Separator

EMISSION, CALENDAR YEAR {International 6.6} EPA, OBD and GHG Certified for Calendar Year 2024

THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic Controlled, On/Off Switch Mounted on Dash, with Steering Wheel Button Control

GOVERNOR Electronic Road Speed Type; with 75 MPH Default

CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood

BLOCK HEATER, ENGINE 120V/800W

Description

RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 730 SqIn Louvered, with 578 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler

TRANSMISSION, AUTOMATIC {Allison 2700 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 26,000 GCW Max, On/Off Highway

TRANSFER CASE {Meritor MTC-3203} 2-Speed, Gear Drive, 3,000 lb-ft Torque Rating, Less PTO Provision, Electric Shift Control

Notes

: Transfer Case Includes 40W Synthetic Lube

PTO ACCOMMODATION PKG Includes Flex Section on Transmission Oil Cooler Lines to Enable PTO Lube Plumbing

NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released

SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming

PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission

DIFFERENTIAL, LOCKING {Detroit Locker} No-Spin; for Dana Spicer (previously Eaton) Rear Axles

AXLE, REAR, SINGLE {Dana Spicer S140} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends . Gear Ratio: 4.30

SUSPENSION, REAR, SINGLE 15,500-lb Capacity, Vari-Rate Springs

SHOCK ABSORBERS, REAR (2)

AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints

FUEL TANK Top Draw, Plastic, Rectangular, 17" Tank Depth, 40 US Gal (151L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Behind Rear Axle

DEF TANK 6.75 US Gal (26L) Capacity, Frame Mounted Outside Right Rail, Under Cab

CAB Conventional, Day Cab

Includes

: CAB DOOR LOCKS Power Door Locks All Doors

: DOME LIGHT, CAB with OFF/DOOR/ON Settings; Located in Overhead Console

: READING LIGHT, CAB Located in Overhead Console

: STEP (2) One Per Door

: STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door

HEATER HOSES Silicone

MIRROR, INSIDE REAR VIEW Omit

DOOR HANDLE, EXTERIOR Bright Finish

GLASS, ALL WINDOWS Solar Absorbing, Tint

COLOR, INTERIOR Dark Ash

GAUGE CLUSTER English Speedometer, Includes English Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information

SEAT, DRIVER High Back with Integral Headrest, with Recline, Vinyl, Fixed Lumbar

SEAT, TWO-MAN PASSENGER High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Vinyl, with Recline

MIRRORS (2) Manual Folding and Extending, Power Adjust, Heated, Turn Signal Indicator Located in Mirror, Black Heads and Arms, for 96" Load Width

SEAT BELT All Orange; 1 to 3

Description

CAB INTERIOR TRIM Classic, for Day Cab

Includes

: SUN VISOR (2) Vinyl

WINDOW, POWER (2) in Left and Right Doors

HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type

AIR BAG, FRONT, DRIVER SIDE

AIR BAG, FRONT, PASSENGER SIDE

AIR BAG, SIDE, DRIVER Seat Mounted, Outboard Side-Impact Airbag

AIR BAG, SIDE, PASSENGER Seat Mounted, Outboard Side-Impact Airbag

AIR BAG, SIDE CURTAIN Roof Mounted, for Front and Rear Outboard Seating Positions for Driver and Passenger Sides

ACCESS, CAB Bright Aluminum, Driver & Passenger Sides, One Step per Door, for use with Day Cab

AIR CONDITIONER with Heater, Single Zone

WHEELS, FRONT {Accuride 50180} DISC: 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

WHEELS, REAR {Accuride 50180} DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

TIRE VALVE CAP Flo-Thru Design

(2) TIRE, FRONT 225/70R19.5 Load Range H HDR+ (CONTINENTAL), 643 rev/mile, 87 MPH, Drive

(4) TIRE, REAR 225/70R19.5 Load Range H HDR+ (CONTINENTAL), 643 rev/mile, 87 MPH, Drive

CARB EMISSION WARR COMPLIANCE Not CARB compliant. Engine will be EPA compliant

Services Section:

WARRANTY Standard for CV515, Effective with Vehicles Built December 3, 2018 or Later, CTS-3000A

Commodity Surcharge

Dealer Prep, DOT/PDI, fire ext., triangles

FREIGHT

Floor Plan for body installation

DeHart Body



June 7, 2023
HUNTER INTERNATIONAL
ATTN: TOM GROGAN
END USER: CITY OF VINELAND
REF: GALION 133U

Quote

FURNISH AND INSTALL

CHASSIS: 2023/2024 INTERNATIONAL CV, TIRES: DW, TANK: S, CA: 84"

(1) GALION 133U 11'5"X84" X18" X24" STAINLESS DUMP BODY
3 PANEL D/A TAILGATE WITH STAINLESS QUICK RELEASE TOP HWD
1/2X84" LONG BACK CAB GUARD
(4) OVAL LIGHT HOLES IN CAB GUARD (2-FRT LIP & 1 EACH SIDE)
2 STEP STAINLESS SLIDE OUT LADDER
FED 108 LED LIGHT KIT WITH REFLECTORS & WIRING HARNESS
(1) OVAL LED S/T/T LIGHT IN EACH REAR CORNER POST
(1) EXTRA OVAL LIGHT HOLE IN EACH REAR CORNER POST
CS620T SCISSOR HOIST IN SUBFRAME
BACK UP ALARM & BODY UP LIGHT
BODY MODEL: 133U-11'5"
CAPACITY: WL 4.5 SB 5.9
LENGTH: 138"
WIDTH: 84"
SIDE HEIGHT: 18"
REAR HEIGHT: 24"
FRONT HEIGHT: 24"
GAUGE:
FLOOR: 3/16" AR450
SIDES: 10 GA 304 #4
FRONT: 10 GA 304 #4
GATE: 10 GA 304 #4

GATE OPTIONS:
PANELS: 6

UNDERSTRUCTURE:
LONGSILLS 3/16"X7"
TYPE: STEEL FORMED
CROSSMEMBERS: NONE
BODY PROP: 1

MISCELLANEOUS:
PAINT UNDERSIDE BLACK
HARDWARE: STAINLESS
6" FRONT CORNER POST
11" FULL DEPTH REAR POST
9" FULL DEPTH REAR BOLSTER
DIRT SHEDDING BOX TOP RAIL

CAB PROTECTOR:
SIZE: 1/2 X 84" LONG
GAUGE: 10 GA 304 #4

HA DEHART TO:
TRAILER HITCH:
(1) CLASS V TRAILER HITCH PLATE – ADJUSTABLE – TUBE STYLE WITH PINTLE
BALL COMBO
(1) 7 PRONG RV FLAT PRONG PLUG
(1) MANUAL TARP AND ROLLER

LIGHTS:
(6) OVAL AMBER LED STROBES – 2 FRONT 2 REAR – 1 EACH SIDE CAB SHIELD
(1) ALL LED LIGHTS
(1) LED SPREADER LIGHT

HYDRAULICS:
(1) ELECTRIC / HYDRAULIC

PAINT:
(1) STAINLESS BODY – NO PAINT – TOUCH UP ONLY
(1) 3M REFLECTIVE TAPE AROUND PERIMETER

COST \$ 46,400.00

Delivery:
Hunter International to pick up at HA DeHart

X_____

Bob Hall
Vice President

BH/rh